



## 1. Description

### 1.1. Project

|                 |                               |
|-----------------|-------------------------------|
| Project Name    | F446RE_C_SG90_Servo_Example01 |
| Board Name      | NUCLEO-F446RE                 |
| Generated with: | STM32CubeMX 6.14.1            |
| Date            | 11/12/2025                    |


### 1.2. MCU

|                |               |
|----------------|---------------|
| MCU Series     | STM32F4       |
| MCU Line       | STM32F446     |
| MCU name       | STM32F446RETx |
| MCU Package    | LQFP64        |
| MCU Pin number | 64            |

### 1.3. Core(s) information

|         |               |
|---------|---------------|
| Core(s) | Arm Cortex-M4 |
|---------|---------------|

## 2. Pinout Configuration




### 3. Pins Configuration

| Pin Number<br>LQFP64 | Pin Name<br>(function after<br>reset) | Pin Type | Alternate<br>Function(s) | Label |
|----------------------|---------------------------------------|----------|--------------------------|-------|
| 1                    | VBAT                                  | Power    |                          |       |
| 3                    | PC14-OSC32_IN                         | I/O      | RCC_OSC32_IN             |       |
| 4                    | PC15-OSC32_OUT                        | I/O      | RCC_OSC32_OUT            |       |
| 5                    | PH0-OSC_IN                            | I/O      | RCC_OSC_IN               |       |
| 6                    | PH1-OSC_OUT                           | I/O      | RCC_OSC_OUT              |       |
| 7                    | NRST                                  | Reset    |                          |       |
| 12                   | VSSA                                  | Power    |                          |       |
| 13                   | VDDA                                  | Power    |                          |       |
| 15                   | PA1                                   | I/O      | TIM2_CH2                 |       |
| 18                   | VSS                                   | Power    |                          |       |
| 19                   | VDD                                   | Power    |                          |       |
| 30                   | VCAP_1                                | Power    |                          |       |
| 31                   | VSS                                   | Power    |                          |       |
| 32                   | VDD                                   | Power    |                          |       |
| 42                   | PA9                                   | I/O      | USART1_TX                |       |
| 43                   | PA10                                  | I/O      | USART1_RX                |       |
| 46                   | PA13                                  | I/O      | SYS_JTMS-SWDIO           | TMS   |
| 47                   | VSS                                   | Power    |                          |       |
| 48                   | VDD                                   | Power    |                          |       |
| 49                   | PA14                                  | I/O      | SYS_JTCK-SWCLK           | TCK   |
| 55                   | PB3 *                                 | I/O      | SYS_JTDO-SWO             | SWO   |
| 60                   | BOOT0                                 | Boot     |                          |       |
| 63                   | VSS                                   | Power    |                          |       |
| 64                   | VDD                                   | Power    |                          |       |

\* The pin is affected with a peripheral function but no peripheral mode is activated

## 4. Clock Tree Configuration



## 1. Power Consumption Calculator report

### 1.1. Microcontroller Selection

|           |               |
|-----------|---------------|
| Series    | STM32F4       |
| Line      | STM32F446     |
| MCU       | STM32F446RETx |
| Datasheet | DS10693 Rev6  |

### 1.2. Parameter Selection

|             |     |
|-------------|-----|
| Temperature | 25  |
| Vdd         | 3.3 |

### 1.3. Battery Selection

|                   |                 |
|-------------------|-----------------|
| Battery           | Li-SOCL2(A3400) |
| Capacity          | 3400.0 mAh      |
| Self Discharge    | 0.08 %/month    |
| Nominal Voltage   | 3.6 V           |
| Max Cont Current  | 100.0 mA        |
| Max Pulse Current | 200.0 mA        |
| Cells in series   | 1               |
| Cells in parallel | 1               |


#### 1.4. Sequence

|                               |                                  |                           |
|-------------------------------|----------------------------------|---------------------------|
| <b>Step</b>                   | Step1                            | Step2                     |
| <b>Mode</b>                   | RUN                              | STOP_UDM (Under Drive)    |
| <b>Vdd</b>                    | 3.3                              | 3.3                       |
| <b>Voltage Source</b>         | Battery                          | Battery                   |
| <b>Range</b>                  | Scale1-High                      | No Scale                  |
| <b>Fetch Type</b>             | RAM/FLASH/REGON/ART/P<br>REFETCH | n/a                       |
| <b>CPU Frequency</b>          | 180 MHz                          | 0 Hz                      |
| <b>Clock Configuration</b>    | HSE PLL                          | Regulator_LP Flash-PwrDwn |
| <b>Clock Source Frequency</b> | 4 MHz                            | 0 Hz                      |
| <b>Peripherals</b>            |                                  |                           |
| <b>Additional Cons.</b>       | 0 mA                             | 0 mA                      |
| <b>Average Current</b>        | 46 mA                            | 55 $\mu$ A                |
| <b>Duration</b>               | 0.1 ms                           | 0.9 ms                    |
| <b>DMIPS</b>                  | 225.0                            | 0.0                       |
| <b>Ta Max</b>                 | 98.02                            | 104.99                    |
| <b>Category</b>               | In DS Table                      | In DS Table               |

#### 1.5. Results

|               |         |                 |             |
|---------------|---------|-----------------|-------------|
| Sequence Time | 1 ms    | Average Current | 4.65 mA     |
| Battery Life  | 1 month | Average DMIPS   | 225.0 DMIPS |

#### 1.6. Chart



## 2. Software Project

### 2.1. Project Settings

| Name                              | Value                                                |
|-----------------------------------|------------------------------------------------------|
| Project Name                      | F446RE_C_SG90_Servo_Example01                        |
| Project Folder                    | /home/johng/workbench6/F446RE_C_SG90_Servo_Example01 |
| Toolchain / IDE                   | STM32CubeIDE                                         |
| Firmware Package Name and Version | STM32Cube FW_F4 V1.28.2                              |
| Application Structure             | Advanced                                             |
| Generate Under Root               | Yes                                                  |
| Do not generate the main()        | No                                                   |
| Minimum Heap Size                 | 0x200                                                |
| Minimum Stack Size                | 0x400                                                |

### 2.2. Code Generation Settings

| Name                                                            | Value                                 |
|-----------------------------------------------------------------|---------------------------------------|
| STM32Cube MCU packages and embedded software                    | Copy only the necessary library files |
| Generate peripheral initialization as a pair of '.c/.h' files   | No                                    |
| Backup previously generated files when re-generating            | Yes                                   |
| Keep User Code when re-generating                               | Yes                                   |
| Delete previously generated files when not re-generated         | Yes                                   |
| Set all free pins as analog (to optimize the power consumption) | No                                    |
| Enable Full Assert                                              | Yes                                   |

### 2.3. Advanced Settings - Generated Function Calls

| Rank | Function Name       | Peripheral Instance Name |
|------|---------------------|--------------------------|
| 1    | SystemClock_Config  | RCC                      |
| 2    | MX_GPIO_Init        | GPIO                     |
| 3    | MX_TIM2_Init        | TIM2                     |
| 4    | MX_USART1_UART_Init | USART1                   |

## 3. Peripherals and Middlewares Configuration

### 3.1. RCC

**High Speed Clock (HSE): Crystal/Ceramic Resonator**

**Low Speed Clock (LSE) : Crystal/Ceramic Resonator**

#### 3.1.1. Parameter Settings:

##### **System Parameters:**

|                   |                    |
|-------------------|--------------------|
| VDD voltage (V)   | 3.3                |
| Instruction Cache | Enabled            |
| Prefetch Buffer   | Enabled            |
| Data Cache        | Enabled            |
| Flash Latency(WS) | 5 WS (6 CPU cycle) |

##### **RCC Parameters:**

|                                |          |
|--------------------------------|----------|
| HSI Calibration Value          | 16       |
| TIM Prescaler Selection        | Disabled |
| HSE Startup Timeout Value (ms) | 100      |
| LSE Startup Timeout Value (ms) | 5000     |

##### **Power Parameters:**

|                               |                                 |
|-------------------------------|---------------------------------|
| Power Regulator Voltage Scale | Power Regulator Voltage Scale 1 |
| Power Over Drive              | Enabled                         |

### 3.2. SYS

**Debug: Serial Wire**

**Timebase Source: SysTick**

### 3.3. TIM2

**Clock Source : Internal Clock**

**Channel2: PWM Generation CH2**

#### 3.3.1. Parameter Settings:

##### **Counter Settings:**

|                                                       |                  |
|-------------------------------------------------------|------------------|
| Prescaler (PSC - 16 bits value)                       | <b>180-1 *</b>   |
| Counter Mode                                          | Up               |
| Counter Period (AutoReload Register - 32 bits value ) | <b>10000-1 *</b> |
| Internal Clock Division (CKD)                         | No Division      |
| auto-reload preload                                   | Disable          |

##### **Trigger Output (TRGO) Parameters:**

|                             |                                            |
|-----------------------------|--------------------------------------------|
| Master/Slave Mode (MSM bit) | Disable (Trigger input effect not delayed) |
| Trigger Event Selection     | Reset (UG bit from TIMx_EGR)               |

#### **PWM Generation Channel 2:**

|                        |            |
|------------------------|------------|
| Mode                   | PWM mode 1 |
| Pulse (32 bits value)  | 0          |
| Output compare preload | Enable     |
| Fast Mode              | Disable    |
| CH Polarity            | High       |

### **3.4. USART1**

#### **Mode: Asynchronous**

##### 3.4.1. Parameter Settings:

#### **Basic Parameters:**

|             |                           |
|-------------|---------------------------|
| Baud Rate   | <b>19200 *</b>            |
| Word Length | 8 Bits (including Parity) |
| Parity      | None                      |
| Stop Bits   | 1                         |

#### **Advanced Parameters:**

|                |                      |
|----------------|----------------------|
| Data Direction | Receive and Transmit |
| Over Sampling  | 16 Samples           |

**\* User modified value**

## 4. System Configuration

### 4.1. GPIO configuration

| IP                    | Pin            | Signal         | GPIO mode                    | GPIO pull/up pull down      | Max Speed   | User Label |
|-----------------------|----------------|----------------|------------------------------|-----------------------------|-------------|------------|
| RCC                   | PC14-OSC32_IN  | RCC_OSC32_IN   | n/a                          | n/a                         | n/a         |            |
|                       | PC15-OSC32_OUT | RCC_OSC32_OUT  | n/a                          | n/a                         | n/a         |            |
|                       | PH0-OSC_IN     | RCC_OSC_IN     | n/a                          | n/a                         | n/a         |            |
|                       | PH1-OSC_OUT    | RCC_OSC_OUT    | n/a                          | n/a                         | n/a         |            |
| SYS                   | PA13           | SYS_JTMS-SWDIO | n/a                          | n/a                         | n/a         | TMS        |
|                       | PA14           | SYS_JTCK-SWCLK | n/a                          | n/a                         | n/a         | TCK        |
| TIM2                  | PA1            | TIM2_CH2       | Alternate Function Push Pull | No pull-up and no pull-down | Low         |            |
| USART1                | PA9            | USART1_TX      | Alternate Function Push Pull | No pull-up and no pull-down | Very High * |            |
|                       | PA10           | USART1_RX      | Alternate Function Push Pull | No pull-up and no pull-down | Very High * |            |
| Single Mapped Signals | PB3            | SYS_JTDO-SWO   | n/a                          | n/a                         | n/a         | SWO        |

### 4.2. DMA configuration

nothing configured in DMA service

### 4.3. NVIC configuration

#### 4.3.1. NVIC

| Interrupt Table                         | Enable | Preenmption Priority | SubPriority |
|-----------------------------------------|--------|----------------------|-------------|
| Non maskable interrupt                  | true   | 0                    | 0           |
| Hard fault interrupt                    | true   | 0                    | 0           |
| Memory management fault                 | true   | 0                    | 0           |
| Pre-fetch fault, memory access fault    | true   | 0                    | 0           |
| Undefined instruction or illegal state  | true   | 0                    | 0           |
| System service call via SWI instruction | true   | 0                    | 0           |
| Debug monitor                           | true   | 0                    | 0           |
| Pendable request for system service     | true   | 0                    | 0           |
| System tick timer                       | true   | 0                    | 0           |
| PVD interrupt through EXTI line 16      | unused |                      |             |
| Flash global interrupt                  | unused |                      |             |
| RCC global interrupt                    | unused |                      |             |
| TIM2 global interrupt                   | unused |                      |             |
| USART1 global interrupt                 | unused |                      |             |
| FPU global interrupt                    | unused |                      |             |

#### 4.3.2. NVIC Code generation

| Enabled interrupt Table                 | Select for init sequence ordering | Generate IRQ handler | Call HAL handler |
|-----------------------------------------|-----------------------------------|----------------------|------------------|
| Non maskable interrupt                  | false                             | true                 | false            |
| Hard fault interrupt                    | false                             | true                 | false            |
| Memory management fault                 | false                             | true                 | false            |
| Pre-fetch fault, memory access fault    | false                             | true                 | false            |
| Undefined instruction or illegal state  | false                             | true                 | false            |
| System service call via SWI instruction | false                             | true                 | false            |
| Debug monitor                           | false                             | true                 | false            |
| Pendable request for system service     | false                             | true                 | false            |
| System tick timer                       | false                             | true                 | true             |

\* User modified value

## 5. System Views

### 5.1. Category view

#### 5.1.1. Current

Middleware

System Core

Analog

Timers

Connectivity

Multimedia

Computing

DMA

GPIO ⚠

NVIC ✓

RCC ✓

SYS ✓

TIM2 ✓

USART1 ✓

## 6. Docs & Resources

| Type                    | Link                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BSDL files              | <a href="https://www.st.com/resource/en/bsdl_model/stm32f446_bsdI.zip">https://www.st.com/resource/en/bsdl_model/stm32f446_bsdI.zip</a>                                                                                                                                                                                                 |
| IBIS models             | <a href="https://www.st.com/resource/en/ibis_model/stm32f446_ibis.zip">https://www.st.com/resource/en/ibis_model/stm32f446_ibis.zip</a>                                                                                                                                                                                                 |
| System View Description | <a href="https://www.st.com/resource/en/svd/stm32f4-svd.zip">https://www.st.com/resource/en/svd/stm32f4-svd.zip</a>                                                                                                                                                                                                                     |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_embedded_software_solutions.pdf</a>                                                                                                                             |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32_eval_tools_portfolio.pdf">https://www.st.com/resource/en/product_presentation/stm32_eval_tools_portfolio.pdf</a>                                                                                                                                                     |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf">https://www.st.com/resource/en/product_presentation/stm32_stm8_functional-safety-packages.pdf</a>                                                                                                                               |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf">https://www.st.com/resource/en/product_presentation/stm32-stm8_software_development_tools.pdf</a>                                                                                                                               |
| Presentations           | <a href="https://www.st.com/resource/en/product_presentation/microcontrollers-stm32-family-overview.pdf">https://www.st.com/resource/en/product_presentation/microcontrollers-stm32-family-overview.pdf</a>                                                                                                                             |
| Brochures               | <a href="https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-and-smart-i-os.pdf">https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-and-smart-i-os.pdf</a>                                                                                                                                     |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstm32nucleo.pdf">https://www.st.com/resource/en/flyer/flstm32nucleo.pdf</a>                                                                                                                                                                                                             |
| Flyers                  | <a href="https://www.st.com/resource/en/flyer/flstm32trust.pdf">https://www.st.com/resource/en/flyer/flstm32trust.pdf</a>                                                                                                                                                                                                               |
| Product Certifications  | <a href="https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf">https://www.st.com/resource/en/certification_document/stm32_authentication_can.pdf</a>                                                                                                                                                     |
| Security Bulletin       | <a href="https://www.st.com/resource/en/technical_note/tn1489-security-bulletin-tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1489-security-bulletin-tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-stmicroelectronics.pdf</a> |
| Application Notes       | <a href="https://www.st.com/resource/en/application_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an1709-emc-design-guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf</a>                                                               |
| Application Notes       | <a href="https://www.st.com/resource/en/application_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an2606-stm32-microcontroller-system-memory-boot-mode-stmicroelectronics.pdf</a>                                                                   |
| Application Notes       | <a href="https://www.st.com/resource/en/application_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-">https://www.st.com/resource/en/application_note/an2945-stm8s-and-stm32-mcus-a-consistent-832bit-product-line-for-painless-migration-</a>                                                 |

stmicroelectronics.pdf

- Application Notes [https://www.st.com/resource/en/application\\_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3070-managing-the-driver-enable-signal-for-rs485-and-iolink-communications-with-the-stm32s-usart-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3126-audio-and-waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3364-migration-and-compatibility-guidelines-for-stm32-microcontroller-applications-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3997-audio-playback-and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3997-audio-playback-and-recording-using-the-stm32f4discovery-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3998-pdm-audio-software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3998-pdm-audio-software-decoding-on-stm32-microcontrollers-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4488-getting-started-with-stm32f4xxx-mcu-hardware-development-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4488-getting-started-with-stm32f4xxx-mcu-hardware-development-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4640-peripherals-interconnections-on-stm32f4057xx-stm32f4157xx-stm32f42xxx-stm32f43xxx-stm32f446xx-and-stm32f469479xx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4640-peripherals-interconnections-on-stm32f4057xx-stm32f4157xx-stm32f42xxx-stm32f43xxx-stm32f446xx-and-stm32f469479xx-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4658-migration-of-applications-from-stm32f429439-lines-to-stm32f446-line-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4658-migration-of-applications-from-stm32f429439-lines-to-stm32f446-line-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4750-handling-of-soft-errors-in-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4850-stm32-mcus-spreadspectrum-clock-generation-principles-properties-and-implementation-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4850-stm32-mcus-spreadspectrum-clock-generation-principles-properties-and-implementation-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4995-using-an-electromyogram-technique-to-detect-muscle-activity-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4995-using-an-electromyogram-technique-to-detect-muscle-activity-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5073-receiving-spdif-audio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5073-receiving-spdif-audio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4760-quadspi-interface-on-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4760-quadspi-interface-on-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4838-introduction-to](https://www.st.com/resource/en/application_note/an4838-introduction-to)

memory-protection-unit-management-on-stm32-mcus-  
stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5537-how-to-use-adc-oversampling-techniques-to-improve-signal-to-noise-ratio-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5537-how-to-use-adc-oversampling-techniques-to-improve-signal-to-noise-ratio-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4230-introduction-to-random-number-generation-validation-using-the-nist-statistical-test-suite-for-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4230-introduction-to-random-number-generation-validation-using-the-nist-statistical-test-suite-for-stm32-mcus-and-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an2867-guidelines-for-oscillator-design-on-stm8afals-and-stm32-mcus-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2867-guidelines-for-oscillator-design-on-stm8afals-and-stm32-mcus-mpus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4759-introduction-to-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4759-introduction-to-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an4908-getting-started-with-uart-automatic-baud-rate-detection-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4908-getting-started-with-uart-automatic-baud-rate-detection-for-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5156-introduction-to-security-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5156-introduction-to-security-for-stm32-mcus-stmicroelectronics.pdf)

Application Notes [https://www.st.com/resource/en/application\\_note/an5543-guidelines-for-enhanced-spi-communication-on-stm32-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5543-guidelines-for-enhanced-spi-communication-on-stm32-mcus-and-mpus-stmicroelectronics.pdf)

stmicroelectronics.pdf

- Application Notes [https://www.st.com/resource/en/application\\_note/an5992-migrating-from-stm32f446-to-stm32h523533-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5992-migrating-from-stm32f446-to-stm32h523533-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/cd00211314-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/cd00211314-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack2-mcus-and-mpus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2639-soldering-recommendations-and-package-information-for-leadfree-ecopack2-mcus-and-mpus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an5020-introduction-to-digital-camera-interface-dcml-for-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5020-introduction-to-digital-camera-interface-dcml-for-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an3154-how-to-use-can-protocol-in-bootloader-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3154-how-to-use-can-protocol-in-bootloader-on-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an4566-how-to-extend-the-dac-performance-on-stm32-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4566-how-to-extend-the-dac-performance-on-stm32-mcus-stmicroelectronics.pdf)
- Application Notes [https://www.st.com/resource/en/application\\_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2656-stm32f10xxx-lcd-glass-driver-firmware-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an2790-tft-lcd-interfacing-with-the-highdensity-stm32f10xxx-fsmc-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3078-stm32-inapplication-programming-over-the-ic-bus-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3116-stm32s-adc-modes-and-their-applications-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3174-implementing-receivers-for-infrared-remote-control-protocols-using-stm32f10xxx-microcontrollers-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an3241-qvga-tftlcd-direct-drive-using-the-stm32f10xx-fsmc-peripheral-stmicroelectronics.pdf)  
for related Tools  
& Software
- Application Notes [https://www.st.com/resource/en/application\\_note/an3307-guidelines-for-](https://www.st.com/resource/en/application_note/an3307-guidelines-for-)

for related Tools obtaining-iec-60335-class-b-certification-for-any-stm32-application-  
& Software stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an3965-](https://www.st.com/resource/en/application_note/an3965-stm32f40xstm32f41x-inapplication-programming-using-the-usart-stmicroelectronics.pdf)  
for related Tools stm32f40xstm32f41x-inapplication-programming-using-the-usart-  
& Software stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an3969-eeeprom-](https://www.st.com/resource/en/application_note/an3969-eeeprom-emulation-in-stm32f40xstm32f41x-microcontrollers-stmicroelectronics.pdf)  
for related Tools emulation-in-stm32f40xstm32f41x-microcontrollers-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4044-floating-point-](https://www.st.com/resource/en/application_note/an4044-floating-point-unit-demonstration-on-stm32-microcontrollers-stmicroelectronics.pdf)  
for related Tools unit-demonstration-on-stm32-microcontrollers-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4323-getting-started-](https://www.st.com/resource/en/application_note/an4323-getting-started-with-stemwin-library-stmicroelectronics.pdf)  
for related Tools with-stemwin-library-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4365-using-stm32f4-](https://www.st.com/resource/en/application_note/an4365-using-stm32f4-mcu-power-modes-with-best-dynamic-efficiency-stmicroelectronics.pdf)  
for related Tools mcu-power-modes-with-best-dynamic-efficiency-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4435-guidelines-for-](https://www.st.com/resource/en/application_note/an4435-guidelines-for-obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-application-stmicroelectronics.pdf)  
for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-  
& Software application-stmicroelectronics.pdf

Application Notes [https://www.st.com/resource/en/application\\_note/an4457-implementing-](https://www.st.com/resource/en/application_note/an4457-implementing-an-emulated-uart-on-stm32f4-microcontrollers-stmicroelectronics.pdf)  
for related Tools an-emulated-uart-on-stm32f4-microcontrollers-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4499-stm32--](https://www.st.com/resource/en/application_note/an4499-stm32-nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf)  
for related Tools nrf51822-bluetooth-low-energy-system-solution-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4657-stm32-](https://www.st.com/resource/en/application_note/an4657-stm32-inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf)  
for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4666-parallel-](https://www.st.com/resource/en/application_note/an4666-parallel-synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf)  
for related Tools synchronous-transmission-using-gpio-and-dma-stmicroelectronics.pdf  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4678-full-duplex-spi-](https://www.st.com/resource/en/application_note/an4678-full-duplex-spi-emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf)  
for related Tools emulation-for-stm32f4-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4701-proprietary-code-readout-protection-on-microcontrollers-of-the-stm32f4-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4701-proprietary-code-readout-protection-on-microcontrollers-of-the-stm32f4-series-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4739-stm32cube-firmware-examples-for-stm32f4-series-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4758-proprietary-code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-series-mcus-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4758-proprietary-code-readout-protection-on-stm32l4-stm32l4-stm32g4-and-stm32wb-series-mcus-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4841-digital-signal-processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4841-digital-signal-processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4852-programming-an-external-flash-memory-using-the-uart-bootloader-builtin-stm32-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4852-programming-an-external-flash-memory-using-the-uart-bootloader-builtin-stm32-microcontrollers-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an4968-proprietary-code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-microcontrollers-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an4968-proprietary-code-read-out-protection-pcrop-on-stm32f72xxx-and-stm32f73xxx-microcontrollers-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an5056-integration-guide-for-the-xcubesbsfu-stm32cube-expansion-package-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5056-integration-guide-for-the-xcubesbsfu-stm32cube-expansion-package-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an5360-getting-started-with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5360-getting-started-with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an5361-getting-started-with-projects-based-on-dualcore-stm32h7-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5361-getting-started-with-projects-based-on-dualcore-stm32h7-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an5394-getting-started-with-projects-based-on-the-stm32l5-series-in-stm32cubeide-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5394-getting-started-with-projects-based-on-the-stm32l5-series-in-stm32cubeide-stmicroelectronics.pdf)  
for related Tools  
& Software

Application Notes [https://www.st.com/resource/en/application\\_note/an5418-how-to-build-a-simple-usbp-d-sink-application-with-stm32cubemx-stmicroelectronics.pdf](https://www.st.com/resource/en/application_note/an5418-how-to-build-a-simple-usbp-d-sink-application-with-stm32cubemx-stmicroelectronics.pdf)  
for related Tools  
& Software

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5426-migrating-graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-550-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5426-migrating-graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-550-stmicroelectronics.pdf</a>                                                   |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5464-position-control-of-a-threephase-permanent-magnet-motor-using-xcubemcsdk-or-xcubemcsdkful-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5464-position-control-of-a-threephase-permanent-magnet-motor-using-xcubemcsdk-or-xcubemcsdkful-stmicroelectronics.pdf</a>                             |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5564-getting-started-with-projects-based-on-dualcore-stm32wl-microcontrollers-in-stm32cubeide-stmicroelectronics.pdf</a>                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5698-adapting-the-xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-other-safety-standards-stmicroelectronics.pdf</a> |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5731-stm32cubemx-and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf</a>                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an4502-stm32-smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an4502-stm32-smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf</a>                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5952-how-to-use-cmake-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5952-how-to-use-cmake-in-stm32cubeide-stmicroelectronics.pdf</a>                                                                                                                                               |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an5054-how-to-perform-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an5054-how-to-perform-secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf</a>                                                                                         |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an6179-how-to-integrate-the-stl-firmware-into-a-time-critical-user-application-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an6179-how-to-integrate-the-stl-firmware-into-a-time-critical-user-application-stmicroelectronics.pdf</a>                                                                 |
| Application Notes<br>for related Tools<br>& Software | <a href="https://www.st.com/resource/en/application_note/an6127-getting-started-with-stm32h7rx7sx-mcus-in-stm32cubeide-stmicroelectronics.pdf">https://www.st.com/resource/en/application_note/an6127-getting-started-with-stm32h7rx7sx-mcus-in-stm32cubeide-stmicroelectronics.pdf</a>                                                                                                   |
| Errata Sheets                                        | <a href="https://www.st.com/resource/en/errata_sheet/es0298-stm32f446xcxe-device-errata-stmicroelectronics.pdf">https://www.st.com/resource/en/errata_sheet/es0298-stm32f446xcxe-device-errata-stmicroelectronics.pdf</a>                                                                                                                                                                 |
| Datasheet                                            | <a href="https://www.st.com/resource/en/datasheet/dm00141306.pdf">https://www.st.com/resource/en/datasheet/dm00141306.pdf</a>                                                                                                                                                                                                                                                             |
| Programming                                          | <a href="https://www.st.com/resource/en/programming_manual/pm0214-stm32-">https://www.st.com/resource/en/programming_manual/pm0214-stm32-</a>                                                                                                                                                                                                                                             |

|                               |                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manuals                       | <a href="#">cortexm4-mcus-and-mpus-programming-manual-stmicroelectronics.pdf</a>                                                                                                                                                                                                                                                                              |
| Reference<br>Manuals          | <a href="https://www.st.com/resource/en/reference_manual/rm0390-stm32f446xx-advanced-armbased-32bit-mcus-stmicroelectronics.pdf">https://www.st.com/resource/en/reference_manual/rm0390-stm32f446xx-advanced-armbased-32bit-mcus-stmicroelectronics.pdf</a>                                                                                                   |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn0516-overview-of-the-stm32f0xf100xxf103xx-and-stm32f2xxf30xf4xx-mcus-pmsm-singledual-foc-sdk-v40-stmicroelectronics.pdf</a> |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1163-description-of-wlcsp-for-microcontrollers-and-recommendations-for-its-use-stmicroelectronics.pdf</a>                                     |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1204-tape-and-reel-shipping-media-for-stm32-microcontrollers-in-bga-packages-stmicroelectronics.pdf</a>                                         |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1205-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packages-stmicroelectronics.pdf</a>                       |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1206-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packages-stmicroelectronics.pdf</a>                       |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1207-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packages-stmicroelectronics.pdf</a>                         |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1208-tape-and-reel-shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssop-packages-stmicroelectronics.pdf</a> |
| Technical Notes<br>& Articles | <a href="https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf">https://www.st.com/resource/en/technical_note/tn1433-reference-device-marking-schematics-for-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf</a>                   |
| User Manuals                  | <a href="https://www.st.com/resource/en/user_manual/um3461-stm32f4-series-ulcsaiec-607301603351-selftest-library-user-guide-stmicroelectronics.pdf">https://www.st.com/resource/en/user_manual/um3461-stm32f4-series-ulcsaiec-607301603351-selftest-library-user-guide-stmicroelectronics.pdf</a>                                                             |